



Messing

kapittel 10



Messingplater	136
Messingplater med	
1-sidig folie	136
Fosforbronseplater med	
1-sidig folie	136
Messingbolt	137
Messingskinner	140
Messingrør	140





MESSINGPLATER



CuZn37

Tykkelse mm	Format mm	Vekt kg/plate	Tilstand	Produktnr. = lagerført
0,50	1000 × 2000	9,20	1/2-hård	022126 0023
1,00	1000 × 2000	17,60	1/2-hård	022126 0070
1,50	1000 × 2000	26,40	1/2-hård	022126 0090
2,00	1000 × 2000	35,20	1/2-hård	022126 0100
2,50	1000 × 2000	44,00	1/2-hård	022126 0107
3,00	1000 × 2000	52,80	1/2-hård	022126 0115
4,00	1000 × 2000	70,40	1/2-hård	022126 0123
5,00	1000 × 2000	88,00	1/2-hård	022126 0128

Plater f.o.m. 1 mm kan også leveres med plastfolie 80 my.

Gravørkvalitet – CuZn39Pb2

Tykkelse mm	Format mm	Vekt kg/plate	Produktnr. = lagerført
1,00	600 × 2000	11,20	022126 0380
1,50	600 × 2000	16,50	022126 0381
2,00	600 × 2000	21,60	022126 0382
3,00	600 × 2000	32,40	022126 0383

MESSINGPLATER MED 1-SIDIG FOLIE



Plastbelagt CuZn37

Leveres ensidig belagt med PET-folie.

Tykkelse mm	Format mm	Vekt kg/plate	Tilstand	Produktnr. = lagerført
0,70	1000 × 2000	12,60	1/2-hård	022126 0053


FOSFORBRONSEPLATER MED 1-SIDIG FOLIE



Fjærhård – CuSn6 Fjærhård

Leveres ensidig belagt med PET-folie.

Tykkelse mm	Format mm	Vekt kg/plate	Produktnr. = lagerført
0,30	300 × 2000	1,8	024126 0025
0,40	300 × 2000	2,4	024126 0030
0,50	300 × 2000	2,9	024126 0035
0,60	300 × 2000	3,4	024126 0040
0,70	300 × 2000	3,9	024126 0045
0,80	300 × 2000	4,5	024126 0055
1,00	300 × 2000	5,6	024126 0065
2,00	300 × 2000	11,2	024126 0075



MESSINGBOLT




Rund automatkvalitet CuZn39Pb3 / CW614N

Diameter mm	Vekt kg/m	Produktnr. = lagerført
6,00	0,24	022005 0055
7,00	0,33	022005 0070
8,00	0,43	022005 0080
9,00	0,55	022005 0085
10,00	0,68	022005 0100
12,00	0,97	022005 0115
13,00	1,14	022005 0125
14,00	1,32	022005 0130
15,00	1,52	022005 0140
16,00	1,73	022005 0155
18,00	2,19	022005 0170
19,00	2,44	022005 0175
20,00	2,70	022005 0180
22,00	3,27	022005 0190
24,00	3,89	022005 0205
25,00	4,22	022005 0210
28,00	5,29	022005 0235
30,00	6,08	022005 0250
32,00	6,91	022005 0265
33,00	7,35	022005 0270
35,00	8,27	022005 0280
38,00	9,75	022005 0295
40,00	10,80	022005 0300
42,00	11,91	022005 0310
45,00	13,67	022005 0320
48,00	15,55	022005 0325
50,00	16,88	022005 0330
55,00	20,42	022005 0345
60,00	24,30	022005 0355
65,00	28,52	022005 0365
70,00	33,08	022005 0375
75,00	37,97	022005 0385
80,00	43,20	022005 0390
85,00	48,23	022005 0395
90,00	54,68	022005 0400
95,00	60,92	022005 0405
100,00	67,50	022005 0410
110,00	81,68	022005 0412
125,00	105,47	022005 0415

Lagerlengde:
Ca. 3 m

Fra og med 50 mm kappes etter kundens behov.




Rund avsinkningsbestandig CuZn36Pb2As0,05 / CW602N

Diameter mm	Vekt kg/m	Produktnr. = lagerført
22,00	3,27	022005 0740
25,00	4,22	022005 0750
30,00	6,08	022005 0770
35,00	8,27	022005 0790
40,00	10,80	022005 0800
45,00	13,67	022005 0810
50,00	16,88	022005 0820
60,00	24,30	022005 0830

Lagerlengde:

Ca. 3 m

Avsinkningsbestandig
messingbolt leveres i en
legering med bedre
korrosjonsegenskaper.
Spesielt godt egnet i fuktige
og våte elementer.



Firkant automatkvalitet CuZn39Pb3 / CW614N

Nøkkelvidde mm	Vekt kg/m	Produktnr. = lagerført
10	0,86	022007 0485
14	1,69	022007 0495
20	3,44	022007 0510
22	4,16	022007 0515
25	5,38	022007 0520
30	7,74	022007 0527
38	12,42	022007 0535

Lagerlengde:

Ca. 3,0 m



Lagerlengde:
Ca. 3 m

Sekskant automatkvalitet CuZn39Pb3 / CW614N

Nøkkelvidde mm	Vekt kg/m	Produktnr. = lagerført
5	0,18	022007 0130
12	1,07	022007 0175
14	1,46	022007 0190
15	1,67	022007 0195
16	1,91	022007 0200
17	2,15	022007 0205
18	2,41	022007 0210
19	2,69	022007 0215
21	3,28	022007 0225
22	3,60	022007 0230
24	4,29	022007 0240
25	4,65	022007 0245
27	5,43	022007 0260
30	6,70	022007 0270
32	7,63	022007 0275
35	9,12	022007 0290
36	9,65	022007 0295
38	10,75	022007 0300
41	12,52	022007 0310
42	13,14	022007 0315
46	15,76	022007 0325
50	18,62	022007 0335
55	22,53	022007 0340
60	26,81	022007 0350
65	31,47	022007 0360
70	36,49	022007 0365
75	41,89	022007 0370
80	47,66	022007 0375

Fra og med 50 mm kappes etter kundens behov.

Flat halvrund – CuZn39Pb3 / CW614N

Lagerlengde:
Ca. 4,0 m

Dimensjon mm	Vekt kg/m	Produktnr. = lagerført
20 × 5	0,57	022007 0066



MESSINGSKINNER



CuZn39Pb3

Dimensjon mm	Vekt kg/m	Produktnr. = lagerført
10 × 4	0,35	022075 0040
15 × 3	0,39	022075 0105
50 × 8	3,50	022075 0448
50 × 25	10,63	022075 0470

Lagerlengde:
Ca. 3,0 m

Bredt utvalg av dimensjoner kan skaffes ved forespørsel.



MESSINGRØR



CuZn38Pb1,5/CuZn37

Diameter mm	Vekt kg/m	Produktnr. = lagerført
31,75 × 2,75	2,13	022060 0310
32,00 × 4,00*	2,99	002260 0330
35,00 × 2,75	2,37	022060 0350
38,00 × 2,75	2,59	022060 0375
41,27 × 2,75	2,83	022060 0390
44,50 × 2,75	3,07	022060 0410
47,62 × 2,75	3,30	022060 0420
50,00 × 5,00	6,01	022060 0435
50,80 × 2,75	3,53	022060 0455
57,00 × 3,00	4,32	022060 0467
59,00 × 3,00	4,54	022060 0472
60,00 × 3,00	7,34	022060 0475
63,50 × 3,00	4,85	022060 0490
75,00 × 3,00	9,35	022060 0515

Lagerlengde:
Ca. 4,5 - 5,5 m
*ca. 3,0 m